

EpithalonDOSING GUIDE

The chart below shows various dosing options coupled with the amount (in mg) and frequency for each dose. Dosing should be determined by the physician on an individual patient basis.

Reconstitution Instructions for our 50mg vial

Add 2mL bacteriostatic water → **0.25mg/unit** concentration

Dose	Amount	Units
Starting	10 mg	40 units
Ramp-Up	15 mg	60 units
Maintenance	20 mg	80 units Ep i



Suggested Dose

10mg to 20mg (40 to 80 units)



Administration Method

Subcutaneous



Dose Frequency

4 bottle cycle over 10 to 20 days



Peptide Class

Tetrapeptide



Primary Benefit

Works on the pineal gland of the brain for longevity



Notes

3X Annually



EpithalonDOSING GUIDE

The chart below shows various dosing options coupled with the amount (in mg) and frequency for each dose. Dosing should be determined by the physician on an individual patient basis.

Reconstitution Instructions for our 10mg vial

Add 1mL bacteriostatic water > 0.1mg/unit concentration

Dose	Amount	Units
Starting	10 mg	100 units





Suggested Dose 10 mg (100 units)



Administration

Method

Subcutaneous



4 bottle cycle over 10 to 20 days



Peptide Class
Tetrapeptide



Primary BenefitWorks on the pineal gland of the brain for longevity



Notes 3X Annually